



COMPACT PUSH WIRE® connector for junction boxes; 3-conductor terminal block; transparent housing; orange cover

Item No.: 2273-203



COMPACT PUSH WIRE® connector for junction boxes; 3-conductor terminal block; transparent housing; orange cover

Marking

RoHS ✓
Compliant

Business data

Supplier	WAGO
Item no.	2273-203
GTIN / EAN	4050821027850
Content	1
Order amount	100
Customer item number	

Notes

Technical data

Miscellaneous


Total number of connection points	3
Total number of potentials	1
Rated voltage (II / 2) [V]	450 [V]
Rated impulse voltage (II / 2) [kV]	4 [kV]
Rated current [A]	24 [A]

Technical data	
<i>Connection technology</i>	<i>PUSH WIRE®</i>
<i>Number of connection points connector</i>	<i>3</i>
<i>Actuation type</i>	<i>Push-in</i>
<i>Connectable conductor materials</i>	<i>Copper</i>
<i>Solid conductor</i>	<i>0.5 ... 2.5 mm² / 18 ... 14 AWG</i>
<i>Strip length</i>	<i>11 mm / 0.43 Inch</i>
<i>Type of wiring</i>	<i>Side-entry wiring</i>
<i>Fire load [MJ]</i>	<i>0.019 [MJ]</i>
<i>Weight [g]</i>	<i>1.017 [g]</i>
<i>Width</i>	<i>14 mm / 0.551 Inch</i>
<i>Height</i>	<i>5.8 mm / 0.228 Inch</i>
<i>Depth</i>	<i>16.7 mm / 0.657 Inch</i>
<i>Safety information 1</i>	<i>In grounded power lines</i>

Images & drawings



Printview: COMPACT PUSH WIRE® connector for junction boxes; 3-conductor terminal block; transparent housing; orange cover - Item No.: 2273-203



Address

WAGO Kontakttechnik GmbH & Co. KG

Hansastr. 27

32423 Minden

Telefon: 0571/887-0

Fax: 0571/887-169

<http://www.wago.com>

© WAGO Kontakttechnik GmbH & Co. KG

Technische Änderungen und Irrtümer vorbehalten.