



**COMPACT PUSH WIRE® connector for junction boxes; 4-conductor terminal block; transparent housing; red cover**

Item No.: 2273-204



COMPACT PUSH WIRE® connector for junction boxes; 4-conductor terminal block; transparent housing; red cover

**Marking**

RoHS ✓  
Compliant

**Business data**

Supplier	WAGO
Item no.	2273-204
GTIN / EAN	4050821027867
Content	1
Order amount	100
Customer item number	

**Notes**

**Technical data**


*Miscellaneous*

Total number of connection points	4
Total number of potentials	1
Color	gray
Rated voltage (II / 2) [V]	450 [V]
Rated impulse voltage (II / 2) [kV]	4 [kV]
Rated current [A]	24 [A]

<b>Technical data</b>	
<i>Connection technology</i>	<i>PUSH WIRE®</i>
<i>Number of connection points connector</i>	<i>4</i>
<i>Actuation type</i>	<i>Push-in</i>
<i>Connectable conductor materials</i>	<i>Copper</i>
<i>Solid conductor</i>	<i>0.5 ... 2.5 mm<sup>2</sup> / 18 ... 14 AWG</i>
<i>Strip length</i>	<i>11 mm / 0.43 Inch</i>
<i>Type of wiring</i>	<i>Side-entry wiring</i>
<i>Fire load [MJ]</i>	<i>0.025 [MJ]</i>
<i>Weight [g]</i>	<i>1.3 [g]</i>
<i>Width</i>	<i>18 mm / 0.709 Inch</i>
<i>Height</i>	<i>5.8 mm / 0.228 Inch</i>
<i>Depth</i>	<i>16.7 mm / 0.657 Inch</i>
<i>Safety information 1</i>	<i>In grounded power lines</i>

Images & drawings





### Address

WAGO Kontakttechnik GmbH & Co. KG

Hansastr. 27

32423 Minden

Telefon: 0571/887-0

Fax: 0571/887-169

<http://www.wago.com>

© WAGO Kontakttechnik GmbH & Co. KG

Technische Änderungen und Irrtümer vorbehalten.