


Item no.: 282-696
 Product description: 2-CONDUCTOR FUSE TERMINAL BLOCK FORMINI-AUTOMOTIVE BLADE-TYPE FUSES; CENTER MARKING; WITH TESTING FACILITY; FRONT-ENTRY; CAGE CLAMP® CONNECTION; HORIZONTAL TYPE



Packing unit 25 pieces

Product group	1 (Rail Mounted Terminal Blocks)
Cross section from [mm ²]	0.2 mm ²
Cross section to [mm ²]	6 mm ²
Cross section from [AWG]	24 AWG
Cross section to [AWG]	10 AWG
Connection method	CAGE CLAMP® CONNECTION
Voltage UL	600 V
Voltage CSA	24 V
Current rating UL	30 A
Current rating CSA	30 A
Measured voltage EN	400 V
Measured shock voltage	6 kV
Pollution degree	3
Current intensity EN	25 A
Current intensity EN	30 A
Weight	17.22 g
Color	gray
Wiring type	Angled Type
No. of connection Points	2
No. of potentials	2
Height	33.5 mm
Height	1.32 in



Width	0.315 in
Depth	85 mm
Depth	3.35 in
Strip length from	12 mm
Strip length to	13 mm
Strip length	0.49 in



Item no.	Admission office	Approval no.	Voltage [V]	Current [A]	Cross section [mm ²]
282-696	CSA	154112-1505033	24	30	24-10
282-696	Dep.MaE	CS4867N	600	40	6
282-696	UL	E45172	600	30	24-10

Sorting criteria: admission office - approval number

© WAGO Kontakttechnik GmbH & Co. KG

Specifications are subject to changes and errors may be expected