

Item no.: 283-901
Product description: 2-CONDUCTOR THROUGH TERMINAL BLOCK



Produkt kann von Bild abweichen / product may differ

Packing unit 20 pieces

Product group	1 (Rail Mounted Terminal Blocks)
Cross section [mm ²]	0.2 - 16 mm ²
Cross section [AWG]	24 - 6 AWG
Connection method	CAGE CLAMP® CONNECTION
Measured voltage EN	800 V
Measured shock voltage	8 kV
Pollution degree	3
Current intensity EN	76 A
Weight	35.815 g
Color	gray
Wiring type	Front-entry
No. of connection Points	2
No. of potentials	1
Height	37.5 mm
Height	1.48 in
Width	12 mm
Width	0.472 in
Depth	94.5 mm
Depth	3.72 in
Strip length from	16 mm
Strip length to	17 mm

Strip length
Mounting

0.65 in
TS 35



Item no.	Admission office	Approval no.	Voltage [V]	Current [A]	Cross section [mm ²]
283-901	ABS	05-HG476175/1-PDA	800	76	16
283-901	BV	07436/Co	800	76	16
283-901	CCA	NL5917	800	76	16
283-901	CSA	154112-1536072	600	70	24-6
283-901	DNV	E7570	800	76	16
283-901	GL	17295-00HH	800	76	16
283-901	KEMA	2082859.12	800	76	16
283-901	LR	91/20112(E6)	800	76	16
283-901	PRS	TE/1718/880590/08	800	76	16
283-901	RMR	11130002	800	76	16
283-901	UR	E45172	600/600	65/65	24-6

Sorting criteria: admission office - approval number

© WAGO Kontakttechnik GmbH & Co. KG

Specifications are subject to changes and errors may be expected