


Item no.: 870-501
 Product description: DOUBLE DECK TERMINAL BLOCK; THROUGH/THROUGH;
 L/L; LATERAL MARKING; CARRIER RAIL DIN 35; FRONT-
 ENTRY



Packing unit 50 pieces

Cross section from [mm ²]	0.08 mm ²
Cross section to [mm ²]	2.5 mm ²
Cross section from [AWG]	28 AWG
Cross section to [AWG]	14 AWG
Connection method	CAGE CLAMP® COMPACT CONNECTION
Cross section from [mm ²]	0.08 mm ²
Cross section to [mm ²]	4 mm ²
Cross section from [AWG]	28 AWG
Cross section to [AWG]	12 AWG
Wiring method	f (flexible wire)
Measured voltage EN	500 V
Measured shock voltage	6 kV
Pollution degree	3
Current intensity EN	24 A
Weight	9.584 g
Color	gray
Wiring type	Front-entry
No. of connection Points	4
No. of potentials	2
Height	40 mm
Height	1.57 in
Width	5 mm



Depth	70 mm
Depth	2.76 in
Strip length from	6 mm
Strip length to	7 mm
Strip length	0.26 in



Item no.	Admission office	Approval no.	Voltage [V]	Current [A]	Cross section [mm ²]
870-501	ABS	05-HG476175/1-PDA	500	24	2,5
870-501	BBJ	B/12/83/03	500		2,5
870-501	BV	07436/Co	500	24	2,5
870-501	cURus	E45172	300/600	20/5	28-12
870-501	DNV	E7570	500	24	2,5
870-501	GL	17295-00HH	500	24	2,5
870-501	KEMA	2061395.01	500	24	2,5
870-501	LR	91/20112(E3)	500	24	2,5
870-501	RosTesT	B09523	500	24	2,5

Sorting criteria: admission office - approval number

© WAGO Kontakttechnik GmbH & Co. KG

Specifications are subject to changes and errors may be expected